

 **dowell's[®] | POLYCAB**

SYMBOL OF QUALITY

Connecting Power Networks with Trust



House of Designers & Makers of Terminals,
Tools & Cable Glands Since 1961

National Price | **2026**
List 25th May

COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



COPPER TUBE TERMINAL MEDIUM DUTY			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CUS-05	9.35	8000
4-6	CUS-06	12.47	4000
6-6	CUS-07	14.03	3200
10-6	CUS-08	17.14	3200
16-6	CUS-09	31.36	3200
25-6	CUS-10	38.08	1600
35-6	CUS-11	54.88	1600
35-8	CUS-12	54.88	1600
50-6	CUS-13	72.80	400
50-8	CUS-14	72.80	800
50-10	CUS-15	72.80	800
70-8	CUS-16	125.44	200
70-10	CUS-17	125.44	400
70-12	CUS-18	125.44	400
95-10	CUS-19	181.44	400
95-12	CUS-20	181.44	400
120-10	CUS-21	228.48	200
120-12	CUS-22	228.48	200
120-16	CUS-23	228.48	200
150-10	CUS-24	336.00	200
150-12	CUS-25	336.00	200
150-16	CUS-26	336.00	200
185-12	CUS-27	499.52	100
185-16	CUS-28	499.52	100
225-16	CUS-231	591.36	100
240-16	CUS-29	668.64	100
240-20	CUS-30	668.64	100
300-16	CUS-31	993.44	60
300-20	CUS-32	993.44	60
400-20	CUS-33	1,351.84	40
500-20	CUS-34	1,806.56	40
630-20	CUS-35	2,533.44	20
800	CUS-062	4,169.76	20
1000	CUS-076	9,198.56	10

COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25-8	CUS-282	43.68	800
35-8	CUS-283	92.96	800
50-8	CUS-284	153.44	400
70-10	CUS-285	236.32	200
95-12	CUS-286	369.60	200
120-12	CUS-287	525.28	100
150-12	CUS-288	647.36	100
185-12	CUS-289	937.44	100
240-16	CUS-290	1,314.88	60
300-16	CUS-291	1,733.76	40
400-20	CUS-292	2,642.08	20
500-21	CUS-293	4,690.56	20
630-21	CUS-294	6,248.48	15



COPPER TUBE TERMINAL EXTENDED PALM (BLANK)			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
50	CUS-466	197.12	200
70	CUS-467	324.80	200
95	CUS-468	463.68	100
120	CUS-469	556.64	200
150	CUS-470	730.24	100
185	CUS-471	1081.92	100
240	CUS-472	1,396.64	80
300	CUS-473	2,307.20	60
400	CUS-474	3,995.04	40
500	CUS-475	4,791.36	20
630	CUS-476	7,379.68	20

COPPER TUBE TERMINAL HEAVY DUTY BS-4579/IEC 61238			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-5	CUS-538	10.91	8000
1.5-6	CUS-539	10.91	8000
2.5-4	CUS-388	12.47	4000
2.5-5	CUS-540	12.47	4000
2.5-6	CUS-541	12.47	4000
4-5	CUS-389	15.58	4000
4-6	CUS-543	15.58	4000
6-5	CUS-390	17.14	6400
6-6	CUS-544	17.14	6400
6-8	CUS-545	17.14	6400
10-6	CUS-353	20.26	3200
10-8	CUS-547	20.26	3200
16-8	CUS-549	26.49	3200
16-6	CUS-354	26.49	3200
20-8	CUS-550	29.12	800
25-6	CUS-355	41.44	3200
25-8	CUS-551	41.44	1600
25-10	CUS-552	41.44	3200
35-8	CUS-356	73.92	1600
35-6	CUS-542	73.92	1600
35-10	CUS-554	73.92	1600
50-8	CUS-357	115.36	800
50-10	CUS-556	115.36	800
70-10	CUS-358	187.04	400
70-8	CUS-557	187.04	400
70-13	CUS-559	187.04	400
95-10	CUS-359	265.44	400
95-13	CUS-561	265.44	400
120-17	CUS-546	343.84	200
120-13	CUS-241	343.84	200
150-13	CUS-242	428.96	200
150-17	CUS-564	428.96	200
185-17	CUS-243	666.40	100
240-17	CUS-244	898.24	100
240-21	CUS-567	898.24	50
300-17	CUS-245	1,304.80	60
300-21	CUS-569	1,304.80	60
400-17	CUS-246	2,097.76	40
400-21	CUS-571	2,097.76	20
500-21	CUS-247	2,801.12	40
550-21	CUS-573	3,413.76	20
630-21	CUS-248	4,201.12	20
800	CUS-599	7,300.16	15
1000	CUS-590	10,385.76	10



COPPER REDUCER TERMINAL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	WPC-01	38.08	2400
2.5	WPC-07	34.72	2400
4	WPC-15	38.08	2400
4	WPC-16	34.72	4000
6	WPC-17	38.08	2400
6	WPC-18	34.72	4000
10	WPC-19	45.92	2400
10	WPC-20	41.44	3200
10	WPC-21	49.28	1600
10	WPC-22	43.68	3200
16	WPC-23	89.60	1600
16	WPC-24	89.60	1600
16	WPC-02	61.60	3200
25	WPC-25	94.08	800
25	WPC-03	123.20	400
35	WPC-04	136.64	1600
50	WPC-26	151.20	800
50	WPC-05	353.92	200
70	WPC-27	210.56	400
70	WPC-6	353.92	200
70	WPC-28	349.44	400
95	WPC-29	337.12	400
95	WPC-31	282.24	400
120	WPC-33	408.80	120
120	WPC-34	408.80	120
120	WPC-35	472.64	120
120	WPC-36	635.04	60
150	WPC-10	740.32	60
150	WPC-37	576.80	120
185	WPC-30	941.92	120
185	WPC-38	758.24	240
225	WPC-39	1,236.48	120
240	WPC-44	1,619.52	120
240	WPC-43	1,184.96	120
300	WPC-45	1,499.68	120
300	WPC-47	1,601.60	60
400	WPC-101	3,048.64	10

COPPER TUBULAR TERMINALS LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CEB-05	12.47	2400
4-6	CEB-06	18.70	2400
6-6	CEB-07	20.26	2400
10-6	CEB-08	24.94	1600
16-6	CEB-09	42.56	1600
25-6	CEB-10	54.88	800
35-6	CEB-11	77.28	100
35-8	CEB-12	77.28	400
50-6	CEB-13	98.56	100
50-8	CEB-14	98.56	100
50-10	CEB-15	98.56	400
70-8	CEB-16	161.28	100
70-10	CEB-17	161.28	100
70-12	CEB-18	161.28	100
95-10	CEB-19	209.44	100
95-12	CEB-20	209.44	100
120-10	CEB-21	284.48	200
120-12	CEB-22	284.48	200
120-16	CEB-23	284.48	200
150-10	CEB-24	408.80	100
150-12	CEB-25	408.80	100
150-16	CEB-26	408.80	100
185-12	CEB-27	596.96	100
185-16	CEB-28	596.96	100
225-16	CEB-231	751.52	100
240-16	CEB-29	822.08	80
240-20	CEB-30	822.08	80
300-16	CEB-31	1,136.80	60
300-20	CEB-32	1,136.80	60
400-20	CEB-33	1,646.40	40
500-20	CEB-34	2,218.72	20
630-20	CEB-35	3,088.96	20
800	CEB-62	4,889.92	15
1000	CEB-76	11,180.96	10


**COPPER TUBE HEAVY DUTY
IN-LINE CONNECTORS**

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-453	7.79	4000
1.5	CB-41	7.79	4000
2.5	EH-454	7.79	16000
4	CB-3	9.35	4000
4.6	EH-455	14.03	4000
6	CB-4	10.91	4000
10	EH-460	15.58	3200
16	CB-6	17.14	3200
20	CB-47	26.49	4000
25	CB-24	41.44	1600
35	CB-25	73.92	800
50	CB-26	113.12	400
70	CB-27	213.92	200
70	CB-51	189.28	400
95	CB-28	301.28	200
95	CB-52	245.28	200
120	CB-29	400.96	100
120	CB-53	288.96	200
150	CB-30	495.04	100
150	CB-54	408.80	80
185	CB-55	560.00	100
185	CB-31	646.24	100
240	CB-32	990.08	80
240	CB-56	857.92	40
300	CB-33	1,404.48	20
300	CB-57	1,219.68	30
400	CB-34	2,489.76	10
400	CB-58	1,796.48	20
500	CB-35	3,175.20	20
500	CB-59	2,626.40	20
550	CB-60	3,824.80	10
630	CB-36	5,419.68	15
630	CB-61	3,887.52	15
800	CB-42	8,355.20	10
1000	CB-43	9,732.80	10


**COPPER TUBE TERMINALS HEAVY
DUTY IN-INSULATED CONNECTORS**

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-463	6.96	3200
2.5	EH-464	8.35	3200
4-6	EH-465	12.52	4000


COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	CB-23	9.35	4000	225	CB-20	502.88	20
25	CB-7	41.44	400	240	CB-15	525.28	20
35	CB-8	54.88	200	300	CB-16	791.84	30
50	CB-9	81.76	100	400	CB-17	1,200.64	20
70	CB-10	117.60	100	500	CB-18	2,075.36	10
95	CB-11	165.76	50	630	CB-19	2,143.68	10
120	CB-12	226.24	160	800	CB-21	4,004.00	15
150	CB-13	288.96	60	1000	CB-22	8,524.32	10
185	CB-14	483.84	100				

ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-3	ALS-151	4.07	2400
2.5-3.5	ALS-309	4.07	2400
4-4	ALS-155	4.07	3200
4-5	ALS-317	4.07	3200
6-5	ALS-158	4.07	3200
6-6	ALS-313	4.07	3200
10-4	ALS-159	5.42	2400
10-6	ALS-214	5.42	3200
10-8	ALS-215	5.42	3200
16-6	ALS-252	6.78	1600
16-8	ALS-216	6.78	1600
16-10	ALS-217	6.78	1600
25-6	ALS-253	9.49	400
25-8	ALS-218	9.49	800
25-10	ALS-219	9.49	800
25-12	ALS-220	9.49	800
35-6	ALS-254	10.84	400
35-8	ALS-221	10.84	800
35-10	ALS-222	10.84	800
50-8	ALS-255	16.26	400
50-10	ALS-312	16.26	400
50-12	ALS-224	16.26	400
70-8	ALS-256	25.75	200
70-10	ALS-225	25.75	200
70-12	ALS-226	25.75	200
95-10	ALS-227	34.72	200
95-12	ALS-228	34.72	200
95-16	ALS-229	34.72	200
120-10	ALS-257	47.04	200
120-12	ALS-230	47.04	200
120-16	ALS-231	47.04	200
150-10	ALS-258	61.60	160
150-12	ALS-232	61.60	160
150-16	ALS-233	61.60	160
185-10	ALS-311	81.76	100
185-12	ALS-234	81.76	100
185-16	ALS-235	81.76	100
225-12	ALS-320	117.60	100
240-12	ALS-236	134.40	80
240-16	ALS-237	134.40	80
300-16	ALS-300	221.76	60
300-20	ALS-259	221.76	60
400-20	ALS-260	274.40	40
500-20	ALS-296	430.08	20
630-20	ALS-261	557.76	30
800	ALS-318	882.56	20
1000	ALS-319	1,286.88	10

ALUMINIUM TUBE TERMINALS LONG BARREL

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-3	ALS-551	5.42	2400
2.5-3.5	ALS-509	5.42	4000
4-4	ALS-555	5.42	1600
4-5	ALS-517	5.42	3200
6-5	ALS-558	5.42	3200
6-6	ALS-513	5.42	3200
10-6	ALS-514	6.78	3200
10-8	ALS-515	6.78	1600
16-6	ALS-552	8.13	1600
16-8	ALS-516	8.13	1600
16-10	ALS-617	8.13	800
25-8	ALS-518	10.84	800
25-10	ALS-519	10.84	800
25-12	ALS-520	10.84	800
35-8	ALS-521	13.55	400
35-10	ALS-522	13.55	400
50-8	ALS-655	20.33	400
50-10	ALS-512	20.33	400
50-12	ALS-524	20.33	400
70-8	ALS-556	41.44	200
70-10	ALS-525	41.44	200
70-12	ALS-526	41.44	200
95-10	ALS-527	42.56	200
95-12	ALS-528	42.56	200
95-16	ALS-529	42.56	200
120-10	ALS-557	61.60	160
120-12	ALS-530	61.60	160
120-16	ALS-531	61.60	160
150-10	ALS-658	76.16	100
150-12	ALS-532	76.16	100
150-16	ALS-533	76.16	100
185-10	ALS-511	100.80	100
185-12	ALS-534	100.80	100
185-16	ALS-535	100.80	100
225-12	ALS-620	144.48	80
240-12	ALS-536	163.52	60
240-16	ALS-537	163.52	60
300-16	ALS-500	237.44	40
300-20	ALS-559	237.44	40
400-20	ALS-560	341.60	40
500-20	ALS-596	546.56	20
630-20	ALS-561	708.96	20
800	ALS-618	1,060.64	10
1000	ALS-619	1,589.28	8

ALUMINIUM TERMINALS FOR AL. XLPE INSULATED CONDUCTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25-8	ALS-XL17	15.99	200
35-8	ALS-XL18	24.39	200
50-10	ALS-XL19	38.08	200
70-10	ALS-XL20	51.52	200
95-12	ALS-XL21	76.16	160
120-12	ALS-XL22	96.32	100
150-12	ALS-XL23	138.88	80
185-12	ALS-XL24	183.68	60
225-12	ALS-XL25	244.16	60
240-12	ALS-XL26	266.56	60
300-20	ALS-XL27	352.80	50
400-20	ALS-XL28	406.56	30
500-20	ALS-XL29	545.44	20
630-20	ALS-XL30	1,128.96	10
800-20	ALS-XL31	1,403.36	10
1000-20	ALS-XL32	1,942.08	10



ALUMINIUM TUBE TERMINALS TWO HOLES

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
150	ALS-701	115.36	60
240	ALS-702	206.08	40
300	ALS-703	314.72	30
630	ALS-706	831.04	15
300	ALS-704	314.72	30
300	ALS-705	314.72	30



ALUMINIUM REDUCER TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	AWP-01	14.91	2400
2.5	AWP-07	14.91	2400
4	AWP-15	14.91	2400
4	AWP-16	14.91	2400
6	AWP-17	14.91	1600
6	AWP-18	14.91	3200
10	AWP-19	16.26	1600
10	AWP-20	16.26	3200
10	AWP-21	16.26	1600
10	AWP-22	16.26	3200
16	AWP-23	21.68	1600
16	AWP-24	21.68	1600
16	AWP-02	21.68	3200
25	AWP-25	30.24	1600
25	AWP-03	30.24	800
35	AWP-04	33.60	800
50	AWP-26	61.60	800
50	AWP-05	61.60	200
70	AWP-27	82.88	400
70	AWP-06	82.88	200
70	AWP-28	108.64	100
95	AWP-29	112.00	400
95	AWP-08	159.04	100
95	AWP-31	112.00	160
95	AWP-32	159.04	80
120	AWP-33	135.52	60
120	AWP-34	135.52	60
120	AWP-35	159.04	120
120	AWP-36	210.56	60
150	AWP-10	250.88	40
150	AWP-37	197.12	160
185	AWP-30	321.44	40
185	AWP-38	260.96	160
225	AWP-39	369.6	30
225	AWP-46	558.88	30
225	AWP-42	488.32	30
240	AWP-44	508.48	120
240	AWP-43	448.00	80
300	AWP-45	556.64	80
300	AWP-47	508.48	20

ALUMINIUM IN LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	ALS-145	2.71	2400
2.5	ALS-6	2.71	400
4	ALS-5	2.71	4000
6	ALS-13	2.71	3200
10	ALS-14	4.07	3200
10	ALS-146	4.07	1600
16	ALS-4	5.42	3200
25	ALS-3	8.13	800
35	ALS-2	9.49	800
50	ALS-12	17.62	1600
70	ALS-1	29.12	200
95	ALS-15	33.6	200
120	ALS-9	47.04	3200
150	ALS-10	56.00	100
185	ALS-11	70.56	100
225	ALS-147	108.64	80
240	ALS-16	110.88	60
300	ALS-17	163.52	40
400	ALS-18	246.40	40
500	ALS-19	393.12	20
630	ALS-20	505.12	20
800	ALS-148	700.00	10
1000	ALS-149	1,167.04	8



ALUMINIUM IN LINE CONNECTORS FOR AL XLPE INSULATED CONDUCTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25	ALS-XL01	14.91	200
35	ALS-XL02	23.04	200
50	ALS-XL03	35.84	200
70	ALS-XL04	49.28	200
95	ALS-XL05	68.32	100
120	ALS-XL06	86.24	100
150	ALS-XL07	114.24	40
185	ALS-XL08	171.36	40
225	ALS-XL09	225.12	60
240	ALS-XL10	238.56	60
300	ALS-XL11	311.36	60
400	ALS-XL12	369.6	40
500	ALS-XL13	465.92	30
630	ALS-XL14	854.56	15
800	ALS-XL15	1,170.40	15
1000	ALS-XL16	1,610.56	10

BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



BI-METALLIC CONNECTORS (FRICTION WELDED)			
Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CACF-16-16	16-16	367.36	200
CACF-25-16	25-16	367.36	200
CACF-25-25	25-25	367.36	200
CACF-35-16	35-16	367.36	200
CACF-35-25	35-25	360.64	200
CACF-35-35	35-35	356.16	200
CACF-50-25	50-25	451.36	160
CACF-50-35	50-35	451.36	200
CACF-50-50	50-50	439.04	160
CACF-70-35	70-35	446.88	200
CACF-70-50	70-50	437.92	200
CACF-70-70	70-70	420.00	100
CACF-95-50	95-50	558.88	160
CACF-95-70	95-75	543.2	160
CACF-95-95	95-95	539.84	160
CACF-120-70	120-70	939.68	50
CACF-120-95	120-95	924.00	80
CACF-120-120	120-120	901.60	80
CACF-150-95	150-95	917.28	40
CACF-150-120	150-120	897.12	80
CACF-150-150	150-150	862.4	80
CACF-185-120	185-120	959.84	40
CACF-185-150	185-150	930.72	40
CACF-185-185	185-185	1,216.32	10
CACF-240-150	240-150	1,042.72	40
CACF-240-185	240-185	1,187.20	40
CACF-240-240	240-240	1,134.56	40

BI-METALLIC TERMINALS (FRICTION WELDED)			
Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CAF-25-10	25	356.16	400
CAF-35-10	35	360.64	400
CAF-50-13	50	491.68	200
CAF-70-13	70	576.8	200
CAF-95-13	95	585.76	100
CAF-120-13	120	672.00	80
CAF-150-13	150	741.44	80
CAF-185-13	185	1,243.20	40
CAF-240-13	240	1,272.32	40
CAF-300-17	300	1,650.88	40
CAF-400-17	400	2,056.32	40
CAF-500	500	4,258.24	12
CAF-630	630	4,958.24	12



ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
10-8	BL-02	5.96	3200	150-12	BL-17	69.44	160
16-6	BL-03	8.13	1600	150-16	BL-18	69.44	160
16-8	BL-04	8.13	1600	185-12	BL-19	89.60	100
25-8	BL-05	10.84	800	185-16	BL-20	89.60	100
25-10	BL-06	10.84	800	225-12	BL-21	127.68	100
35-8	BL-07	13.55	800	240-12	BL-22	147.84	80
35-10	BL-08	13.55	800	240-16	BL-23	147.84	80
50-8	BL-09	23.04	400	300-16	BL-24	244.16	60
50-10	BL-10	23.04	400	300-20	BL-25	244.16	60
70-10	BL-11	34.72	200	400-20	BL-26	301.28	40
70-12	BL-12	34.72	200	500-20	BL-27	474.88	20
95-10	BL-13	38.08	200	630-20	BL-28	612.64	30
95-12	BL-14	38.08	200	800-20	BL-29	971.04	20
120-10	BL-15	51.52	200	1000-20	BL-30	1,416.80	10
120-12	BL-16	51.52	200				

COPPER RING, PIN AND FORK TERMINALS



PIN TERMINAL NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CP-59	4.18	8000	4	CP-3	7.89	16000
1	CP-44	4.18	8000	6	CP-5	7.89	10000
1.5	CP-9	4.18	16000	10	CP-7	12.35	6400
1.5	CP-35	4.63	8000	16	CP-8	24.4	3200
2.5	CP-1	4.18	16000	50	CP-88	91.84	400
2.5	CP-2	4.18	8000	70	CP-89	124.32	200
25	CP-86	45.92	1600	95	CP-90	162.40	200
35	CP-87	60.48	800				

RING TERMINALS NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RS-7317	3.88	16000	10-5	RS-7026	10.58	3200
1-3.5	RS-7318	3.88	16000	10-6	RS-7120	11.46	6400
1.5-3	RS-7001	4.18	8000	10-8	RS-7121	14.57	3200
1.5-3.5	RS-7002	4.18	8000	10-10	RS-7027	19.63	3200
1.5-3.5	RS-7048	4.18	8000	10-10	RS-7123	21.14	3200
1.5-4	RS-7003	4.18	16000	10-12	RS-7028	20.08	3200
1.5-4	RS-7049	4.18	8000	16-5	RS-7124	18.16	3200
1.5-4	RS-7004	4.32	16000	16-6	RS-7029	19.63	3200
1.5-4	RS-7154	4.47	8000	16-6	RS-7031	26.62	1600
1.5-5	RS-7005	4.32	16000	16-8	RS-7030	24.40	3200
1.5-5	RS-7006	5.22	8000	16-10	RS-7032	30.24	3200
1.5-6	RS-7007	5.22	8000	16-10	RS-7128	31.36	1600
1.5-6	RS-7106	5.36	8000	16-12	RS-7033	29.12	1600
2.5-3	RS-7107	4.77	8000	25-6	RS-7156	43.68	800
2.5-3.5	RS-7008	5.22	8000	25-8	RS-7034	45.92	1600
2.5-3.5	RS-7108	5.22	8000	25-8	RS-7036	50.40	1600
2.5-4	RS-7009	4.47	16000	25-10	RS-7035	43.68	800
2.5-5	RS-7010	4.47	16000	25-10	RS-7132	63.84	800
2.5-5	RS-7109	4.47	8000	25-12	RS-7037	63.84	800
2.5-5	RS-7110	6.26	2400	35-6	RS-7133	52.64	800
2.5-6	RS-7011	4.47	16000	35-8	RS-7038	57.12	1600
2.5-6	RS-7012	6.26	4000	35-10	RS-7135	71.68	800
2.5-8	RS-7013	7.29	4000	35-12	RS-7040	67.20	800
2.5-8	RS-7014	8.78	6400	50-8	RS-7136	80.64	800
2.5-10	RS-7015	10.28	6400	50-10	RS-7137	87.36	800
2.5-10	RS-7151	10.28	6400	50-12	RS-7042	94.08	400
4.6-4	RS-7155	8.03	10000	50-16	RS-7139	117.60	400
4.6-5	RS-7050	8.03	10000	70-10	RS-7140	118.72	400
4.6-5	RS-7016	9.53	10000	70-12	RS-7141	120.96	400
4.6-6	RS-7017	8.19	10000	70-16	RS-7142	141.12	400
4.6-6	RS-7019	10.87	6400	95-10	RS-7144	171.36	400
4.6-6	RS-7115	11.91	6400	95-12	RS-7044	164.64	400
4.6-8	RS-7018	9.53	4000	95-16	RS-7145	187.04	400
4.6-8	RS-7020	12.64	6400	120-12	RS-7146	212.80	160
4.6-8	RS-7116	15.63	3200	120-16	RS-7147	264.32	240
4.6-10	RS-7022	15.63	3200	120-20	RS-7148	303.52	240
4.6-10	RS-7023	13.98	3200	150-12	RS-7149	452.48	160
4.6-12	RS-7024	13.98	3200	150-16	RS-7045	445.76	160
10-5	RS-7025	11.76	3200	150-20	RS-7046	497.28	160



PIN TERMINAL (INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CPI-60	4.62	16000	4	CPI-20	9.38	3200
1	CPI-45	4.62	4000	4	CPI-21	12.35	1600
1.5	CPI-17	4.62	10000	6	CPI-22	13.54	3200
1.5	CPI-40	5.22	4000	6	CPI-23	14.28	800
2.5	CPI-18	4.77	10000	10	CPI-24	16.52	1600
2.5	CPI-19	4.77	4000	16	CPI-25	31.36	1600



PIN TERMINAL DOUBLE GRIP (PRE-INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	CPD-26	6.26	10000	2.5	CPD-28	6.55	4000
2.5	CPD-27	6.55	10000	4	CPD-29	11.31	1600



RING TERMINALS INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RSI-7501	4.47	4000	2.5-5	RSI-7073	6.55	6400
1-4	RSI-7502	4.47	4000	2.5-5	RSI-7075	8.94	6400
1.5-3	RSI-7054	6.26	4000	2.5-6	RSI-7074	6.55	6400
1.5-3.5	RSI-7055	6.26	10000	2.5-6	RSI-7076	7.89	6400
1.5-3.5	RSI-7058	6.40	2400	2.5-8	RSI-7077	8.03	6400
1.5-4	RSI-7056	6.26	10000	2.5-8	RSI-7079	9.53	3200
1.5-4	RSI-7059	6.40	2400	2.5-10	RSI-7081	11.31	800
1.5-4	RSI-7061	4.77	10000	4.6-4	RSI-7083	9.53	3200
1.5-4	RSI-7063	6.26	4000	4.6-5	RSI-7084	9.53	3200
1.5-5	RSI-7062	4.77	10000	4.6-5	RSI-7086	11.31	3200
1.5-5	RSI-7065	7.59	4000	4.6-6	RSI-7089	10.87	3200
1.5-5	RSI-7066	7.29	4000	4.6-6	RSI-7092	12.64	3200
1.5-6	RSI-7067	7.59	4000	4.6-6	RSI-7093	13.68	3200
2.5-3	RSI-7068	6.40	4000	4.6-8	RSI-7090	11.31	1600
2.5-3.5	RSI-7069	6.40	4000	4.6-8	RSI-7094	13.68	3200
2.5-3.5	RSI-7070	7.29	2400	4.6-8	RSI-7096	16.52	1600
2.5-4	RSI-7071	6.26	10000	4.6-10	RSI-7099	15.63	1600
2.5-5	RSI-7072	6.26	10000	4.6-12	RSI-7100	15.63	1600

FORK TERMINALS NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RS-7249SPL	3.73	16000	2.5-5	RS-7280	10.72	4000
1.5-3.5	RS-7249	3.73	16000	4.6-3	RS-7252	6.55	16000
2.5-3.5	RS-7251	4.02	16000	4.6-3.5	RS-7253	6.55	8000



FORK TERMINALS INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RSI-7926SPL	4.47	4000	2.5-5	RSI-7929	12.21	1600
1.5-3.5	RSI-7926	4.47	4000	4.6-3	RSI-7930	8.78	3200
2.5-3.5	RSI-7928	5.22	10000	4.6-3.5	RSI-7931	8.78	3200

FORK TERMINALS DOUBLE GRIP (PRE INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3.5	PSD-7935	6.10	4000	4.6-3	PSD-7939	10.87	1600
2.5-3.5	PSD-7937	6.55	4000	4.6-3.5	PSD-7940	10.87	1600
2.5-5	PSD-7938	15.63	800				



RING TERMINALS DOUBLE GRIP (PRE-INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3	PSD-7437	6.55	2400	2.5-6	PSD-7457	6.85	4000
1.5-3.5	PSD-7438	6.55	2400	2.5-5	PSD-7458	9.53	2400
1.5-4	PSD-7439	6.55	2400	2.5-6	PSD-7459	8.78	3200
1.5-3.5	PSD-7441	6.55	2400	2.5-8	PSD-7460	9.53	1600
1.5-4	PSD-7442	6.55	2400	2.5-8	PSD-7462	11.31	1600
1.5-4	PSD-7444	6.40	4000	2.5-10	PSD-7464	12.64	1600
1.5-5	PSD-7445	6.40	4000	4.6-4	PSD-7466	11.91	800
1.5-4	PSD-7446	7.44	2400	4.6-5	PSD-7467	11.91	1600
1.5-5	PSD-7448	7.89	4000	4.6-5	PSD-7469	13.54	1600
1.5-6	PSD-7449	7.89	4000	4.6-6	PSD-7472	12.35	3200
1.5-6	PSD-7450	8.19	2400	4.6-8	PSD-7473	13.39	800
2.5-3	PSD-7451	7.89	2400	4.6-6	PSD-7475	14.73	400
2.5-3.5	PSD-7452	7.89	2400	4.6-6	PSD-7476	16.52	800
2.5-3.5	PSD-7453	8.03	2400	4.6-8	PSD-7477	16.52	800
2.5-4	PSD-7454	6.85	10000	4.6-8	PSD-7479	18.16	400
2.5-5	PSD-7455	6.85	10000	4.6-8	PSD-7482	19.63	400
2.5-5	PSD-7456	6.85	4000	4.6-12	PSD-7483	18.16	400



SNAP ON TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	SNP-8351	6.07	2000	1.5	SND-8359	7.59	2000
1.5	SND-8352	6.07	2000	1.5	SND-8362	9.11	2000
2.5	SNP-8347	6.07	4000	1.5	SNP-8336	6.07	2000
2.5	SND-8348	7.59	5000	1.5	SNP-8356	6.07	2000
4	SND-8476	12.14	5000	1.5	SNP-8358	6.07	2000



END SEALING FERRULES NON-INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-6	EH-508	1.56	20000	6-10	EH-518	3.12	10000
0.75-6	EH-509	1.56	20000	6-12	EH-519	3.12	10000
1-6	EH-510	1.56	20000	6-15	EH-520	4.68	10000
1-10	EH-511	1.56	20000	10-12	EH-521	4.68	2500
1.5-7	EH-512	1.56	20000	10-15	EH-522	5.26	2500
1.5-10	EH-513	1.56	20000	10-18	EH-523	7.79	2500
2.5-7	EH-514	1.56	20000	16-12	EH-524	4.68	2500
2.5-12	EH-515	1.56	20000	16-15	EH-525	6.14	2000
4-9	EH-516	1.56	16000	16-18	EH-526	7.79	2000
4-12	EH-517	3.12	16000				

COPPER TWIN TYPE LUGS

mm ² -E	LENGTH mm	CAT. NO.	COLOUR NATURAL	PRICE (₹)	STD PKG.
0.5-8	8	TW-0.5-8	WHITE	3.12	8000
0.5-10	10	TW-0.5-10	WHITE	3.12	8000
0.75-8	8	TW-0.75-8	GREY	3.12	4000
0.75-10	10	TW-0.75-10	GREY	4.68	4000
1-8	8	TW-1-8	RED	4.68	8000
1-10	10	TW-1-10	RED	4.68	8000
1.5-8	8	TW-1.5-8	BLACK	4.68	8000
1.5-10	10	TW-1.5-10	BLACK	4.68	8000
2.5-8	8	TW-2.5-8	BLUE	4.68	8000
2.5-10	10	TW-2.5-10	BLUE	6.23	8000
4-12	12	TW-4-12	GREY	7.79	4000
6-12	12	TW-6-12	YELLOW	9.35	4000



END SEALING FERRULES INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-8	EH-508	1.56	40000
0.75-8	EH-509	1.56	40000
1-6	EH-510	3.12	20000
1-10	EH-511	3.12	25000
1.5-10	EH-513	3.12	25000
2.5-8	EH-514	3.12	15000
2.5-12	EH-515	3.12	16000
4-12	EH-517	4.68	8000
6-12	EH-519	4.68	8000
10-12	EH-521	6.23	2000
16-15	EH-525	7.79	1000



CABLE GLANDS



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS	433.44	224	DBF-01SS	558.88	200
12.0-16.5	3/4"	DBW-01S	521.92	168	DBF-01S	601.44	200
16.5-18.5	3/4"	DBW-01	583.52	144	DBF-01	664.16	96
16.5-18.5	1"	DBW-01A	667.52	120	DBF-01A	788.48	96
18.5-20.0	1"	DBW-02	747.04	80	DBF-02	872.48	80
18.5-20.0	3/4"	DBW-02A	747.04	80	DBF-02A	918.40	80
20.0-23.0	1"	DBW-03	756.00	80	DBF-03	986.72	80
23.0-26.0	1"	DBW-04	1033.76	48	DBF-04	1,253.28	48
23.0-26.0	1.1/4"	DBW-04A	1109.92	48	DBF-04A	1,400.00	48
26.0-30.0	1.1/4"	DBW-05	1,294.72	48	DBF-05	1,456.00	48
26.0-30.0	1.1/2"	DBW-05A	1,548.96	48	DBF-05A	1,768.48	48
30.0-33.0	1.1/2"	DBW-06	1,860.32	40	DBF-06	2,180.64	32
30.0-33.0	1.1/4"	DBW-06A	1,924.16	32	DBF-06A	2,280.32	32
33.0-37.0	1.1/2"	DBW-07	2,173.92	24	DBF-07	2,452.80	24
37.0-41.0	2"	DBW-08	2,788.80	24	DBF-08	3,039.68	24
41.0-46.0	2"	DBW-09	3,076.64	20	DBF-09	3,354.40	20
46.0-52.0	2"	DBW-10	3,376.80	16	DBF-10	3,954.72	16
46.0-52.0	2.1/2"	DBW-10A	4,122.72	12	DBF-10A	4,492.32	12
52.0-54.0	2.1/2"	DBW-011A	4,784.64	8	DBF-011A	6,027.84	8
54.0-61.0	2.1/2"	DBW-011	5,025.44	8	DBF-011	5,521.60	8
61.0-66.0	3"	DBW-012	6,136.48	8	DBF-012	6,665.12	8
66.0-72.0	3"	DBW-013A	7,687.68	4	DBF-013A	9,357.60	4
72.0-78.0	3.1/4"	DBW-013	8,676.64	4	DBF-013	10,505.60	4
78.0-84.0	3.1/2"	DBW-014	10,411.52	6	DBF-014	11,154.08	6
84.0-94.0	4"	DBW-015	13,942.88	4	DBF-015	15,177.12	6
94.0-104.0	4.1/2"	DBW-016	17,968.16	4	DBF-016	19,519.36	4



DOUBLE COMPRESSION TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER PACKING (NOS.)
07.0-14.0	DC-3/8"	DGP10036	5/8"	337.12	200
14.1-15.5	DC-1/2"	DGP10037	5/8"	422.24	200
15.6-17.0	DC-5/8"	DGP10038	3/4"	432.32	184
17.1-18.5	DC-3/4"	DGP10039	3/4"	499.52	112
18.6-19.5	DC-7/8"	DGP10040	3/4"	574.56	96
19.6-22.5	DC-1"	DGP10041	1"	669.76	80
22.6-25.5	DC-1.1/8"	DGP10042	1.1/8"	855.68	60
25.6-31.5	DC-1.1/4"	DGP10043	1.1/4"	1,127.84	48
31.6-34.5	DC-1.3/8"	DGP10044	1.1/2"	1,346.24	48
34.6-36.5	DC-1.1/2"	DGP10045	1.1/2"	1,584.80	32
36.6-44.5	DC-1.3/4"	DGP10046	2"	2,179.52	20
44.6-49.5	DC-2"	DGP10047	2"	2,384.48	20
49.6-54.5	DC-2.1/4"	DGP10048	2.1/4"	2,783.20	16
54.6-63.5	DC-2.1/2"	DGP10049	2.1/2"	3,827.04	8
63.6-69.5	DC-2.3/4"	DGP10050	2.3/4"	4,320.96	8
69.6-74.5	DC-3"	DGP10051	3"	5,318.88	8
74.6-81.0	DC-3.1/4"	DGP10052	3.1/4"	6,160.00	4
81.1-86.0	DC-3.1/2"	DGP10053	3.1/2"	8,417.92	4
86.1-100.0	DC-4"	DGP10054	4"	10,915.52	4




DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.5	DBW-01SS(UN)	460.32	200
12.6-14.0	DBW-01S(UN)	502.88	200
14.1-17.0	DBW-01A(UN)	639.52	120
17.1-19.0	DBW-02(UN)	777.28	80
19.1-22.0	DBW-03SP(UN)	828.80	80
22.1-25.0	DBW-04A(UN)	1,176.00	48
25.1-29.0	DBW-05A(UN)	1,289.12	48
29.1-32.0	DBW-06SP(UN)	1,803.20	40
32.1-35.0	DBW-07SP(UN)	2,074.24	24
35.1-40.0	DBW-08(UN)	2,604.00	24
40.1-43.0	DBW-09(UN)	3,084.48	20
43.1-51.0	DBW-010A(UN)	3,800.16	12
51.1-59.0	DBW-011SP(UN)	5,022.08	8
59.1-65.0	DBW-012(UN)	5,899.04	8
65.1-71.0	DBW-013(UN)	7,837.76	4
71.1-79.0	DBW-014(UN)	9,122.40	2
79.1-89.0	DBW-015(UN)	13,685.28	2



SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS							
SINGLE COMPRESSION GLANDS					SIBG SERIES		
DOWELLS CAT. NO.		PRODUCT CODE	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
INCH	MM						
3/8"	10	DGP10001	127.68	512	1616	226.24	280
1/2"	12	DGP10002	127.68	512	1619	240.80	200
5/8"	16	DGP10003	127.68	460	2119	374.08	160
3/4"	19	DGP10004	148.96	420	2125	340.48	160
7/8"	22	DGP10005	175.84	336	2925	477.12	96
1"	25	DGP10006	266.56	240	2932	524.16	80
1.1/8"	28	DGP10007	315.84	120	2938	568.96	80
1.1/4"	32	DGP10008	444.64	96	3638	782.88	40
1.3/8"	35	DGP10009	553.28	96	4251	1,426.88	20
1.1/2"	38	DGP10010	652.96	64	5451	1,626.24	16
1.3/4"	45	DGP10011	791.84	48	5463	1,615.04	16
2"	50	DGP10012	967.68	40	6063	2,480.80	16
2.1/4"	57	DGP10013	1,243.20	24	6675	3,006.08	12
2.1/2"	63	DGP10014	1,436.96	20	7882	4,139.52	12
2.3/4"	70	DGP10015	2,013.76	20			
3"	75	DGP10016	2,480.80	16			
3.1/4"	82	DGP10017	2,636.48	12			
3.1/2"	88	DGP10018	3,318.56	12			
4"	100	DGP10019	3,937.92	6			
4.1/2"	112	DGP10020	6,567.68	8			



FOR GLAND SIZE	EARTH TAG			LSF/LSZH SHROUD		
	DOWELL'S CAT. NO.	PRICE (₹)	BOX PKG	SHROUD SIZE/CODE	PRICE (₹)	BOX PKG
DBW -01SS/DBF-01SS	DET-20	48.16	200	2023	23.10	1600
DBW -01S/DBF-01S	DET-20	48.16	200	2026	29.40	4000
DBW -01/DBF-01	DET-20	48.16	200	2030	37.80	200
DBW -02A/DBF-02A	DET-20	48.16	200	2030A	39.90	200
DBW -01A/DBF-01A	DET-25	60.48	200	2533	39.90	100
DBW -02/DBF-02	DET-25	60.48	200	2533A	39.90	100
DBW -03/DBF-03	DET-25	60.48	200	2535	49.35	100
DBW -04/DBF-04	DET-25	60.48	200	4000	60.90	100
DBW -04A/DBF-04A	DET-32	71.68	200	4000A	60.90	100
DBW -05/DBF-05	DET-32	71.68	200	3246	63.00	100
DBW -06A/DBF-06A	DET-32	71.68	200	3246A	72.45	100
DBW -05A/DBF-05A	DET-40	78.40	600	3251	99.75	100
DBW -06/DBF-06	DET-40	78.40	600	3251A	99.75	100
DBW -07/DBF-07	DET-40	78.40	600	4053	109.20	60
DBW -08/DBF-08	DET-50	89.60	200	5063	143.85	50
DBW -09/DBF-09	DET-50	89.60	200	5068	158.55	60
DBW -010/DBF-010	DET-50	89.60	200	6371	165.90	50
DBW -010A/DBF-010A	DET-63	163.52	200	6371A	165.90	50
DBW -011A/DBF-011A	DET-63	163.52	200	6388	253.05	30
DBW -011/DBF-011	DET-63	163.52	200	6388A	253.05	30
DBW -012/DBF-012	DET-75	207.20	200	7595	279.30	30
DBW -013A/DBF-013A	DET-75	207.20	200	7595A	279.30	30
DBW -014/DBF-014	DET-90	207.20	200	7595B	380.10	30
DBW -015/DBF-015	DET-100	418.88	200			

Mechanical Crimping Tools (Hand Operated)

- Item Code: SYT-2M
- List Price: 1561/-
- Crimping Range: 1.5 – 16 mm²
- Application: Non-insulated terminals (Point type)
- Key Features: Heavy-duty hand crimper, Suitable for medium-size lugs, Reliable point-type compression



- Item Code: SYT-17M
- List Price: 1502/-
- Crimping Range: 0.5 – 6 mm²
- Application: Non-insulated terminals (Point type)
- Key Features: Compact design, Accurate crimping for small conductors, Consistent crimp quality



- Item Code: SYT-26TW
- List Price: 1385/-
- Crimping Range: 2 × (0.5 to 6 mm²)
- Application: Insulated & non-insulated ferrules
- Key Features: Twin ferrule crimping capability, Parallel jaw mechanism, High repeatability



- Item Code: SYT-52M
- List Price: 1277/-
- Crimping Range: 0.5 – 6 mm²
- Application: Insulated & non-insulated ferrules
- Key Features: Dual-use for insulated and bare ferrules, Ergonomic handles, Uniform pressure distribution





- **Item Code:** SYT-53M
- **List Price:** 1473/-
- **Crimping Range:** 10, 16, 25, 35 mm²
- **Application:** Insulated & non-insulated ferrules
- **Key Features:** Designed for large ferrules, Strong mechanical leverage, Durable steel construction



- **Item Code:** SYT-1546A
- **List Price:** 1385/-
- **Crimping Range:** 0.25-0.5, 0.5-1.5, 1.5-2.5, 4.0-6.0 mm²
- **Application:** Insulated Terminals
- **Key Features:** Specially designed for insulated lugs, Fixed Crimping Cavities for, Accurate size matching, Ideal for panel wiring and Control wiring



- **Item Code:** PYW-2
- **List Price:** 3685/-
- **Crimping Range:** 0.5 – 6 mm²
- **Type:** Ratchet terminal crimping plier
- **Key Features:** Ratchet mechanism ensures full, crimp cycle, Consistent crimp quality



Self-Adjustable Crimping Pliers

- Item Code: SYT-6-6
- List Price: 1277/-
- Crimping Range: 0.25 – 6 mm²
- Type: Mini self-adjustable crimping plier
- Key Features: Compact and lightweight, Suitable for panel wiring, Uniform crimping force



- Item Code: SYT-16-4A
- List Price: 2107/-
- Crimping Range: 4 – 16 mm²
- Type: Mini self-adjustable crimping plier
- Key Features: No die change required, Consistent crimp depth, Reduced operator fatigue



- Item Code: SYT-10-4
- List Price: 985/-
- Crimping Range: 0.25 – 10 mm²
- Type: Mini self-adjustable crimping plier
- Key Features: Automatic size adjustment, Faster operation, Ideal for control wiring



Hexagonal Crimping Tools (Mechanical & Hydraulic)


- Item Code: SYA-427H
- List Price: 1561/-
- Crimping Range: 1.5 – 10 mm²
- Application: Non-insulated terminals (Hex type)
- Key Features: Hexagonal crimp profile, Good electrical conductivity, Firm terminal grip




- Item Code: SYA-428H
- List Price: 2508/-
- Crimping Range: 6 – 25 mm²
- Application: Non-insulated terminals (Hex type)
- Key Features: Strong hex compression, Suitable for power circuits, Long service life



- Item Code: SYT-9M
- List Price: 3171/-
- Crimping Range: 6 – 50 mm²
- Application: Non-insulated terminals (Hex type)
- Key Features: Heavy-duty hand tool, Uniform hex crimp, Improved mechanical strength



- Item Code: SYHX-150B
- List Price: 7857/-
- Crimping Range: 25 – 150 mm²
- Application: Non-insulated lugs (Hex type)
- Key Features: High-force hex crimp, Industrial power applications, Robust frame



- **Item Code:** SYT-109A
- **List Price:** 35594/-
- **Crimping Range:** 70 – 400 mm²
- **Type:** Hydraulic crimping tool
- **Key Features:** Extra-heavy-duty application, Hex Die for strong joint, Used in substations & LT/HT panels



- **Item Code:** SYT-106
- **List Price:** 8162/-
- **Crimping Range:** 16 – 300 mm²
- **Type:** Hydraulic crimping tool
- **Key Features:** Hexagonal Die design, Tight press connection, Good electrical conduction, Crimping force up to 70 MPa



- **Item Code:** SYHX-240
- **List Price:** 11538/-
- **Crimping Range:** 70 – 240 mm²
- **Application:** Copper tube terminals
- **Key Features:** Hex die system, Low contact resistance, Suitable for heavy cables



Cable Cutter

- Item Code: SYT-120
- List Price: 2324/-
- Cutting Capacity: Up to 120 mm²
- Key Features: Clean cable cutting, Hardened cutting edges, Compact design



- Item Code: SYT-240
- List Price: 3301/-
- Cutting Capacity: Up to 240 mm²
- Key Features: Heavy-duty cutter, Low cutting force, Suitable for copper & aluminum cables



- Item Code: SYC-D75
- List Price: 12456/-
- Cutting Capacity: 3 × 120 mm²
- Key Features: Multi-core cutting capability, Strong mechanical construction



- Item Code: SYC-D100
- List Price: 30683/-
- Cutting Capacity: 3 × 300 mm²
- Key Features: Extra heavy-duty cutting, Used in power cable installation



Cutter & Stripper Tools

- Item Code: SYC-060
- List Price: 618/-
- Cutting Range: $\leq 16 \text{ mm}^2$
- Stripping Range: 6, 10, 16 mm^2
- Key Features: HCompact cutter & stripper, Workshop and site use



- Item Code: SYCS-616
- List Price: 705/-
- Cutting Range: $\leq 16 \text{ mm}^2$
- Stripping Range: 6, 10, 16 mm^2
- Key Features: Precise insulation removal, Durable jaws



- Item Code: PYC-1
- List Price: 3071/-
- Cutting Range: 0.5 – 10 mm^2
- Stripping Range: 0.5 – 10 mm^2
- Key Features: Automatic wire size adjustment, Fast stripping operation



- Item Code: SYCS-256
- List Price: 1669/-
- Cutting Range: 0.25 – 6 mm^2
- Stripping Range: 0.25 – 6 mm^2
- Crimping Range: 0.5 – 6 mm^2
- Key Features: 3-in-1 tool, Ideal for electricians, Saves time and tool changes




Modular Crimping Tools

- Item Code: PYL-1
- List Price: 1865/-
- Crimping Range: RJ10,RJ11/12,RJ45
- Application: Used for crimping modular plugs in telephone wiring, LAN/Ethernet networking, and basic data communication installations.



- Item Code: PYL-2
- List Price: 885/-
- Crimping Range: RJ10, RJ11/12, RJ45 (4P4C, 6P4C, 6P6C, 8P8C)
- Application: Used in LAN networking, telephone wiring, and data communication cabling.



- Item Code: PYL-3
- List Price: 1965/-
- Crimping Range: RJ10, RJ11/12, RJ45 (4P4C, 6P4C, 6P6C, 8P8C)
- Application: Used for crimping modular plugs in telecom, LAN networking, CCTV systems, data communication, and structured cabling work.



- Item Code: PYL-4
- List Price: 1965/-
- Crimping Range: 8P8C/RJ-4, 6P6CPJ-12, 6P4C/RJ-11, 4P4C&4P2C
- Application: Telephone, LAN, CCTV & structured cabling



TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.



HYDRAULIC CRIMPING TOOLS			
mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG
10-300	SYD-20A	24,978.00	1
50-400	SYD-20B	37,680.00	1
10-300	SYD-20C	39,287.00	1
10-1000	SYE-150A	67,111.00	1
10-1000	SYE-150B	57,655.00	1
10-1000	SYE-150C	59,927.00	1
50-630	SYT-102R	55,436.00	1



mm ² RANGE	CAT. NO.	PRICE (₹)	STD PKG
UPTO 300	SYD-20A-JACK	23,286.00	1
UPTO 400	SYD-20B-JACK	20,778.00	1
UPTO 630	SYT-102R-JACK	26,223.00	1
UPTO 1000	SYE-150A-JACK	46,969.00	1
UPTO 1000	SYE-150B-JACK	34,534.00	1

CORROSION INHIBITING COMPOUND



GTZ - 8785 Rs. 69.00/-

SPECS.	DOWELL'S CAT. NO.	PRICE (₹)	STD PKG
"Hand Operated Hydraulic Pump (Max. Pressure 10000 P.S.I.)"	R-T1242	10,350.00	1
"Jack Hose Pipe Standard 2 meters"	R-T1349	3,583.00	1
"Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68"	SYT-117	2,25,225.00	1
"Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 1HP Tank Capacity: 8 Ltr. Oil: Hydraulic Oil no. 68"	SYT-117M	75,482.00	1

HEAT GUN

- Item Code: DHG2000
- List Price: 3700/-
- Description: DHG2000 Heat Gun
- Technical Details:
 - Input Power: 2000W
 - Rated Voltage: 220-240V~
 - Rated Frequency: 60 Hz
 - Temperature: I:350°C II : 600°C
 - Air Output : I : 300L/min II : 500 L/min

